

99063069261000

Installations not subject to authorization for the use of organic solvents above the threshold values - Notification of commissioning Acceptance

Heruntergeladen am 25.06.2025

<https://fimportal.de/services/99063069261000>

Modul	Sachverhalt
Leistungsschlüssel	99063069261000
Leistungsbezeichnung I	Installations not subject to authorization for the use of organic solvents above the threshold values - Notification of commissioning Acceptance
Leistungsbezeichnung II	Notify commissioning of an installation not requiring a permit for the use of organic solvents above the threshold values
Typisierung	3 - Bundesaufsichtsverwaltung: Regelung
Quellredaktion	Baustein Leistungen
Freigabestatus Katalog	fachlich freigegeben (gold)
Freigabestatus Bibliothek	fachlich freigegeben (silber)
Begriffe im Kontext	

Modul	Sachverhalt
Leistungstyp	Leistungsobjekt mit Verrichtung
Leistungsgruppierung	Immission control (individuell, 063)
Verrichtungskennung	Entgegennahme (261)
SDG-Informationsbereich	Gesundheits- und Sicherheitsvorschriften im Zusammenhang mit verschiedenen Arten von Tätigkeiten, einschließlich der Risikovermeidung, Information und Ausbildung
Lagen Portalverbund	
Einheitlicher Ansprechpartner	Nein
Fachlich freigegeben am	18.08.2023
Fachlich freigegeben durch	Ministry for Climate Protection, Environment, Energy and Mobility Rhineland-Palatinate
Handlungsgrundlage	https://www.gesetze-im-internet.de/bimschv_31_2024/31._BlmSchV.pdf
Teaser	Do you want to commission a system that does not require a permit and uses solvents above the threshold values? Then you must notify the responsible immission control authority in advance.
Volltext	If you wish to commission an installation that does not require a permit with a solvent consumption above the threshold values, you must notify the responsible immission control authority in advance. The obligation to notify applies to all installations that do not require a permit and whose solvent consumption exceeds the threshold values in Annex I of the 31st BlmSchV. The threshold value is determined by the activity according to Annex II of the 31st BlmSchV.
Erforderliche Unterlagen	Complete display with the relevant data for the system.
Voraussetzungen	You wish to commission a system whose solvent consumption exceeds the threshold values in Annex I of the 31st BlmSchV.
Kosten	There are no costs.

Modul	Sachverhalt
Verfahrensablauf	• You submit your notification with the relevant data for the installation to the authority responsible for you • The competent authority checks your notification • If necessary, the competent authority will request further documents from you
Bearbeitungsdauer	There is no processing deadline.
Frist	You must submit the notification prior to the intended commissioning of the system.
weiterführende Informationen	
Hinweise	You are committing an administrative offense if you do not submit the notification or do not submit it correctly, completely or on time.
Rechtsbehelf	None. The administrative service is a real act against which no legal remedy is possible.
Kurztext	• Installations not requiring a permit for the use of organic solvents above the threshold values - Notification of commissioning Acceptance • Installations that do not require a permit and whose solvent consumption exceeds the threshold values in Annex I of the 31st BImSchV must be notified before commissioning • Activity according to Annex II of the 31st BImSchV is decisive for threshold values • Notification must contain the relevant data for the installation • Responsible: competent immission control authority
Ansprechpunkt	Competent authority
Zuständige Stelle	Competent authority
Formulare	
Ursprungsportal	