

99093045261000

Heruntergeladen am 14.06.2025

<https://fimportal.de/services/99093045261000>

Modul	Sachverhalt
Leistungsschlüssel	99093045261000
Leistungsbezeichnung I	
Leistungsbezeichnung II	Display a company for the trade of ISPM-15 compliant timber
Typisierung	3 - Bundesaufsichtsverwaltung: Regelung
Quellredaktion	Baustein Leistungen
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	fachlich freigegeben (silber)
Begriffe im Kontext	
Leistungstyp	Leistungsobjekt mit Verrichtung
Leistungsgruppierung	Plant protection (individuell, 093)
Verrichtungskennung	Entgegennahme (261)
SDG-Informationsbereich	Erlangung von Lizenzen, Genehmigungen oder Zulassungen im Hinblick auf die Gründung und Führung eines Unternehmens
Lagen Portalverbund	Anmeldepflichten (2010100)
Einheitlicher	

Modul	Sachverhalt
Ansprechpartner	Nein
Fachlich freigegeben am	08.02.2024
Fachlich freigegeben durch	Ministry of Agriculture and Consumer Protection of the State of North Rhine-Westphalia
Handlungsgrundlage	§ Section 13p (6) of the Plant Inspection Ordinance (PflBeschauV 1989) Regulation (EU) 2016/2031 (Plant Health Regulation) https://www.gesetze-im-internet.de/pflbeschv/_13.html https://eur-lex.europa.eu/legal-content/DE/TXT/?uri=celex%3A32016R2031
Teaser	If you want to trade in wooden packaging material as an entrepreneur, you must report the activity. You can find out more here.
Volltext	Companies that trade in wood packaging material in accordance with the International Standard for Phytosanitary Measures No. 15 (ISPM 15) are obliged to notify the authorities. Notes on ISPM 15: The IPPC standard ISPM No. 15 for wood packaging material specifies phytosanitary treatment and monitoring measures to reduce the risk of spreading harmful organisms through wood packaging material in international trade. The standard applies to all types of wood packaging material that can represent a transmission pathway for harmful organisms and thus a risk mainly to living trees. This includes wooden packaging material such as crates, boxes, packing cases, dunnage, pallets, cable drums and bobbins. The following items are exempt from the requirements of the standard due to low risk: • Wooden packaging material made entirely of thin wood (with a thickness of 6 mm or less)

Modul	Sachverhalt
	• Wooden packaging made entirely of wood-based materials, such as plywood, compressed wood, OSB fiberboard or veneer, manufactured using glue, heat or pressure or a combination thereof • Barrels for wine and spirits that have been heated during manufacture • Gift boxes for wine, cigars and other types of goods made from wood that has been treated or manufactured in such a way that they are free from harmful organisms • Sawdust, wood shavings and wood wool • Wooden components that are permanently attached to means of transportation and containers.
Erforderliche Unterlagen	Identity document
Voraussetzungen	
Kosten	
Verfahrensablauf	As an entrepreneur, you report the trade in wooden packaging materials to the competent authority.
Bearbeitungsdauer	No duration, as only display
Frist	The activity must be notified to the competent authority no later than 30 days after commencement.
weiterführende Informationen	
Hinweise	Business operators have the following obligations, among others: Records must be kept of the origin and whereabouts of the wood placed on the market and retained for three years from the date of recording. The occurrence or suspected occurrence of Union quarantine pests and pests regulated by EU emergency measures within the meaning of Regulation (EU) 2016/2031 must be reported immediately to the competent authority. The operator must take precautionary measures to prevent the establishment and spread of these pests
Rechtsbehelf	

Modul	Sachverhalt
Kurztext	• Notification of a company for the trade in wooden packaging materials Receipt • If a company wishes to trade in ISPM-15 compliant wood, notification of the activity is required • Competent authority: Depends on the respective national law
Ansprechpunkt	
Zuständige Stelle	
Formulare	
Ursprungsportal	