

99063058261000, 99063058261000

Display incidents due to erection or changes in operating areas

Heruntergeladen am 07.07.2025

<https://fimpportal.de/xzufi-services/391353782/L100008>

Modul	Sachverhalt
Leistungsschlüssel	99063058261000, 99063058261000
Leistungsbezeichnung I	Display incidents due to erection or changes in operating areas
Leistungsbezeichnung II	
Typisierung	3 - Bundesaufsichtsverwaltung: Regelung
Quellredaktion	Sachsen-Anhalt
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	fachlich freigegeben (silber)
Begriffe im Kontext	
Leistungstyp	Leistungsobjekt mit Verrichtung
Leistungsgruppierung	Immissionsschutz (063)
Verrichtungskennung	Entgegennahme (261)
SDG-Informationsbereich	
Lagen Portalverbund	
Einheitlicher	

Modul	Sachverhalt
Ansprechpartner	Nein
Fachlich freigegeben am	07.12.2020
Fachlich freigegeben durch	Ministry of the Environment, Energy, Food and Forestry Rhineland-Palatinate
Handlungsgrundlage	https://www.gesetze-im-internet.de/bimschv_12_2000/_7.html
Teaser	Before the start of the construction of an operating area or if your operating area is to be changed in a relevant manner, you must notify the competent authority in advance.
Volltext	As the operator of an operating area in accordance with the Hazardous Incident Ordinance, you are obliged to report the information listed in § 7 of the Hazardous Incident Ordinance to the competent authority at least one month before the start of the construction of the operating area or before an accident-relevant change. A separate notification is not required if you have submitted the information to the competent authority as part of an approval or notification procedure.
Erforderliche Unterlagen	The display shall contain the following information: 1. the name or business name of the operator and the full address of the operating area concerned, 2. registered office and full address of the operator, 3. the name and function of the person responsible for the operating area, if different from the person referred to in point 1; 4. sufficient information to identify the hazardous substances and the hazard category of substances, 5. the quantity and physical form of hazardous substances, 6. activity or intended activity in the installations of the operating area, 7. Circumstances in the immediate vicinity of the operating area which may cause an incident or aggravate its consequences, including, where available, details of:
Voraussetzungen	

Modul	Sachverhalt
Kosten	
Verfahrensablauf	The notification shall be submitted in writing by post or electronically to the competent authority.
Bearbeitungsdauer	
Frist	The notification shall be submitted to the competent authority at least one month before the start of the construction of the operating area or before any change relevant to an incident.
weiterführende Informationen	
Hinweise	
Rechtsbehelf	This administrative service does not constitute an administrative act. For this reason, there is no remedy.
Kurztext	• Incidents due to erection or changes in operating areas Display • Display required: before the start of the construction of an operating area, or if your operating area is to be changed in a hazardous manner
Ansprechpunkt	Contact the State Office for Environmental Protection Saxony-Anhalt.
Zuständige Stelle	
Formulare	
Ursprungsportal	Störfälle aufgrund Errichtung oder Änderungen von Betriebsbereichen anzeigen, Display incidents due to erection or changes in operating areas