

99063056261001, 99063056261001

# Submit measurement report on individual measurements of air pollutants at plants for the biological treatment of waste

Heruntergeladen am 25.06.2025

<https://fimportal.de/xzufi-services/391418148/L100008>

Modul	Sachverhalt
Leistungsschlüssel	99063056261001, 99063056261001
Leistungsbezeichnung I	Submit measurement report on individual measurements of air pollutants at plants for the biological treatment of waste
Leistungsbezeichnung II	Submit measurement report on individual measurements of air pollutants at plants for the biological treatment of waste
Typisierung	3 - Bundesaufsichtsverwaltung: Regelung
Quellredaktion	Sachsen-Anhalt
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	fachlich freigegeben (gold)
Begriffe im Kontext	
Leistungstyp	Leistungsobjekt mit Verrichtung

Modul	Sachverhalt
Leistungsgruppierung	Immissionsschutz (063)
Verrichtungskennung	Entgegennahme (261)
SDG-Informationsbereich	
Lagen Portalverbund	Anlagenbetrieb und -prüfung (2120100), Abfall, Schadstoffe und Emissionen (2130100)
Einheitlicher Ansprechpartner	Nein
Fachlich freigegeben am	11.01.2024
Fachlich freigegeben durch	Federal Ministry for the Environment, Nature Conservation, Nuclear Safety and Consumer Protection (BMUV)
Handlungsgrundlage	<a href="https://www.gesetze-im-internet.de/bimschv_30/__11.html">https://www.gesetze-im-internet.de/bimschv_30/__11.html</a> <a href="https://www.gesetze-im-internet.de/bimschv_30/__12.html">https://www.gesetze-im-internet.de/bimschv_30/__12.html</a> <a href="https://www.gesetze-im-internet.de/bimschv_30/__11.html">https://www.gesetze-im-internet.de/bimschv_30/__11.html</a> <a href="https://www.gesetze-im-internet.de/bimschv_30/__12.html">https://www.gesetze-im-internet.de/bimschv_30/__12.html</a>
Teaser	If you operate a plant for the biological treatment of waste, you must have the air pollutant emissions checked regularly by means of individual measurements.
Volltext	You commission a notified measuring point to carry out the measurement. You must prepare a measurement report on the results and submit it to the responsible immission control authority.
Erforderliche Unterlagen	Measurement report with information on: <ul style="list-style-type: none"> <li>• Measurement planning</li> <li>• measurement result</li> <li>• Measurement methods used</li> <li>• Operating conditions that are important for assessing the measurement results</li> </ul>
Voraussetzungen	<ul style="list-style-type: none"> <li>• You operate a plant for the biological treatment of waste.</li> </ul>

<b>Modul</b>	<b>Sachverhalt</b>
	<ul style="list-style-type: none"> <li>• You have newly constructed or significantly modified your plant.</li> <li>• You have put your plant into operation.</li> </ul>
<b>Kosten</b>	
<b>Verfahrensablauf</b>	<p>You submit the measurement report as follows:</p> <ul style="list-style-type: none"> <li>• You contact a notified measuring point, provide the necessary information for the measurement and arrange a measurement date.</li> <li>• The measuring station then confirms the measurement plan and reports it to the authority responsible for you together with the measurement date.</li> <li>• On the measurement date, the measuring body determines the emission values and compares them with the legally prescribed emission values of your waste treatment plant.</li> <li>• Once the measurement has been completed, you will receive a measurement report from the measuring body.</li> <li>• Check the measurement report and submit it immediately to the immission control authority responsible for you.</li> </ul>
<b>Bearbeitungsdauer</b>	There is no statutory processing time.
<b>Frist</b>	<p>5 Jahr(e)</p> <p>You must submit the measurement report together with all documents to the responsible authority immediately after the measurement. If your waste treatment plant has been newly constructed or significantly modified, you must carry out the measurements every 2 months on at least one day in the first year after commissioning. From the second year after commissioning, you must carry out the measurements once every 12 months on at least 3 days.</p>
<b>weiterführende Informationen</b>	
<b>Hinweise</b>	There are no indications or special features.
<b>Rechtsbehelf</b>	The administrative service is a real act against which no

Modul	Sachverhalt
	legal remedy is possible.
Kurztext	<ul style="list-style-type: none"> <li>• Measurement report on individual measurements of air pollutants Receipt for plants for the biological treatment of waste</li> <li>• Companies that operate plants for the biological treatment of waste must have their air pollutant emissions checked regularly by means of individual measurements</li> <li>• Measurements must be carried out by accredited (notified) measuring bodies</li> <li>• Reason for the measurement: Plant was newly constructed Plant has been significantly modified Regular monitoring</li> <li>• Deadlines for measurement: every 2 months in the first year after commissioning every 12 months thereafter</li> <li>• Responsible: competent immission control authority</li> </ul>
Ansprechpunkt	Please contact the State Administration Office.
Zuständige Stelle	
Formulare	
Ursprungsportal	Messbericht über Einzelmessungen von Luftschadstoffen bei Anlagen zur biologischen Behandlung von Abfällen vorlegen, Submit measurement report on individual measurements of air pollutants at plants for the biological treatment of waste