

99129008037000, 99129008037000

Notification of facilities for handling substances hazardous to water, application for suitability determination

Heruntergeladen am 07.06.2025

<https://fimportal.de/xzufi-services/744195/L100038>

Modul	Sachverhalt
Leistungsschlüssel	99129008037000, 99129008037000
Leistungsbezeichnung I	Notification of facilities for handling substances hazardous to water, application for suitability determination
Leistungsbezeichnung II	
Typisierung	2/3 - Bund: Regelung (2 oder 3), Land/Kommune: Vollzug
Quellredaktion	Thüringen
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	unbestimmter Freigabestatus
Begriffe im Kontext	
Leistungstyp	Leistungsobjekt mit Verrichtung
Leistungsgruppierung	Wasser (129)

Modul	Sachverhalt
Verrichtungskennung	Feststellung (037)
SDG-Informationsbereich	Erlangung von Lizenzen, Genehmigungen oder Zulassungen im Hinblick auf die Gründung und Führung eines Unternehmens
Lagen Portalverbund	Erlaubnisse und Genehmigungen (2010400), Tier-, Pflanzen- und Naturschutz (2130200), Anlagenbetrieb und -prüfung (2120100)
Einheitlicher Ansprechpartner	Nein
Fachlich freigegeben am	30.12.2022
Fachlich freigegeben durch	Thuringian Ministry for the Environment, Energy and Nature Conservation
Handlungsgrundlage	https://www.gesetze-im-internet.de/awsv/_40.html https://www.gesetze-im-internet.de/awsv/_40.html
Teaser	The construction of a facility for handling substances hazardous to water, you must notify the competent authority under certain conditions.
Volltext	If you want to set up or significantly change a facility for handling substances hazardous to water, this may require notification under water law or a suitability determination.
Erforderliche Unterlagen	• completed notification form • detailed documents describing the project (site plan, drawings, proofs, descriptions) • if necessary, expert opinion
Voraussetzungen	• The facilities must comply with the requirements of the Ordinance on Facilities for Handling Substances Hazardous to Water (AwSV). This must be proven with the documents to be submitted. • If the notified facilities require a suitability determination, corresponding evidence, such as an expert opinion, must be submitted.
Kosten	The amount of the fee is determined by the Thuringian administrative cost regulations for the business area of the Ministry for the Environment, Energy and Nature Conservation. The fee amount depends on the type of

Modul	Sachverhalt
	plant and the associated inspection effort. The fee range extends from €60 to €2,500.
Verfahrensablauf	• The project sponsor must give at least six weeks' advance notice of the construction or substantial modification of a facility for handling substances hazardous to water. • If a facility requires a suitability determination, construction may only take place after the determination has been issued. • The water authority examines the documents. It may temporarily or permanently prohibit the project or issue a notice with conditions.
Bearbeitungsdauer	• The processing of a complaint takes on average one month. • If the documents are complete, • no other procedure such as a suitability determination or exemption in the water protection or flood area results from it, and • no conditions are imposed by the water authority in the form of a decision, • the project can be carried out after the expiry of the six-week period (fictitious approval). • If the project is the subject of another procedure, e.g. according to the Federal Immission Control Act, the notification according to § 40 AwSV does not apply if the project is examined within the framework of the other procedure. In this case, the six-week period does not apply.
Frist	• The developer must give at least six weeks' notice of the construction or substantial modification. • If an installation requires a suitability determination, construction may only take place after this has been granted.
weiterführende Informationen	
Hinweise	https://tlubn.thueringen.de/wasser https://tlubn.thueringen.de/wasser/wassergefaehrden-de-stoffe https://tlubn.thueringen.de/wasser https://tlubn.thueringen.de/wasser/wassergefaehrden-de-stoffe
Rechtsbehelf	Opposition

Modul	Sachverhalt
Kurztext	• Suitability of facilities for handling substances hazardous to water Determination • The construction or substantial modification of facilities for handling substances hazardous to water, may be subject to notification or require a suitability determination. • Prerequisites: • The facilities must comply with the requirements of the Ordinance on Facilities for Handling Substances Hazardous to Water (AwSV). This must be proven with the documents to be submitted. • If the notified facilities require a suitability determination, corresponding evidence, such as an expert opinion, must be submitted. • Fees will be charged. • Responsible: Lower water authority at the locally responsible district office or the locally responsible independent city.
Ansprechpunkt	
Zuständige Stelle	The lower water authorities at the locally responsible district office or the locally responsible independent city are responsible.
Formulare	Forms/online services available: Yes Written form required: No Informal application possible: Yes Personal appearance required: No https://tlubn.thueringen.de/wasser/wassergefaehrden-de-stoffe https://tlubn.thueringen.de/wasser/wassergefaehrden-de-stoffe
Ursprungsportal	Notification of facilities for handling substances hazardous to water, application for suitability determination, Anzeige von Anlagen zum Umgang mit wassergefährdenden Stoffen, Eignungsfeststellung beantragen