

99063078261000

Cremation facilities - Notification of commissioning Acceptance

Heruntergeladen am 17.07.2025

<https://fimportal.de/xzufi-services/S1000020010000011633/S100002>

Modul	Sachverhalt
Leistungsschlüssel	99063078261000
Leistungsbezeichnung I	Cremation facilities - Notification of commissioning Acceptance
Leistungsbezeichnung II	Show commissioning of a crematorium
Typisierung	3 - Bundesaufsichtsverwaltung: Regelung
Quellredaktion	Hamburg
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	unbestimmter Freigabestatus
Begriffe im Kontext	<div lang="en-x-mtfrom-de">incinerator</div>, <div lang="en-x-mtfrom-de">cremation</div>, <div lang="en-x-mtfrom-de">27. Federal Immission Control Ordinance</div>, <div lang="en-x-mtfrom-de">Combustion plant</div>, <div lang="en-x-mtfrom-de">Cremation facility</div>
Leistungstyp	
Leistungsgruppierung	
Verrichtungskennung	

Modul	Sachverhalt
SDG-Informationsbereich	
Lagen Portalverbund	
Einheitlicher Ansprechpartner	Nein
Fachlich freigegeben am	06.12.2023
Fachlich freigegeben durch	
Handlungsgrundlage	§ 6 Ordinance on Cremation Facilities (27th BImSchV) https://www.gesetze-im-internet.de/bimschv_27/_6.html
Teaser	If you want to operate a crematorium, you must notify the responsible immission control authority that the cremation system has been put into operation.
Volltext	If you wish to operate a cremation facility, you must notify the competent authority of the commissioning of the cremation facility at least one month before commissioning.
Erforderliche Unterlagen	written notice
Voraussetzungen	You want to open a crematorium.
Kosten	Gebühr: Es fallen keine Kosten an
Verfahrensablauf	
Bearbeitungsdauer	No This is a report made by you. You will not receive any notification from the responsible authority.
Frist	Notify the competent authority of the commissioning of the cremation facility at least 1 month before commissioning.
weiterführende Informationen	
Hinweise	The construction and operation of certain plants requires a permit under the Immission Control Act. These plants include those which, due to their nature or operation, are particularly suitable cause harmful environmental impacts or otherwise endanger,

Modul	Sachverhalt
	significantly disadvantage or significantly nuisance the general public or the neighbourhood. In addition to the permit requirement, there is a notification requirement for certain plants in accordance with the following emission control regulations: Cremation facilities (Regulation on Cremation Facilities - 27th BImSchV)
Rechtsbehelf	It is purely a notification by you. There is no right of appeal.
Kurztext	Show commissioning of a crematorium written notification required must be reported at least one month before commissioning Notification by operator
Ansprechpunkt	
Zuständige Stelle	Authority for the Environment, Climate, Energy and Agriculture
Formulare	
Ursprungsportal	Behördenfinder Hamburg, Authority finder Hamburg (Currently this link is only available in german)