



99129008037000

Determination of the suitability of systems for handling substances hazardous to water

Heruntergeladen am 07.06.2025 https://fimportal.de/xzufi-services/S1000020010000011870/S100002

Modul	Sachverhalt
Leistungsschlüssel	99129008037000
Leistungsbezeichnung I	Determination of the suitability of systems for handling substances hazardous to water
Leistungsbezeichnung II	Determination of the suitability of systems for handling water-polluting substances
Typisierung	2/3 - Bund: Regelung (2 oder 3), Land/Kommune: Vollzug
Quellredaktion	Hamburg
Freigabestatus Katalog	unbestimmter Freigabestatus
Freigabestatus Bibliothek	unbestimmter Freigabestatus
Begriffe im Kontext	<pre><div lang="en-x-mtfrom-de">Gas stations</div>, <div lang="en-x-mtfrom-de">LAU facilities</div>, <div lang="en-x-mtfrom-de">AwSV</div>, <div lang="en-x-mtfrom-de">Water Authority</div>, <div lang="en-x-mtfrom-de">Heating oil consumer system</div></pre>





Modul	Sachverhalt
Leistungstyp	
Leistungsgruppierung	
Verrichtungskennung	
SDG-Informationsbereich	
Lagen Portalverbund	
Einheitlicher Ansprechpartner	Nein
Fachlich freigegeben am	20.10.2023
Fachlich freigegen durch	
Handlungsgrundlage	[§ 63 Water Resources Act (WHG)](https://www.gesetze-im-internet.de/whg_2009/63.html) [§ 13 Water Resources Act (WHG)](https://www.gesetze-im-internet.de/whg_2009/13.html) [§ 17 Water Resources Act (WHG)](https://www.gesetze-im-internet.de/whg_2009/17.html) [§ 41 Ordinance on facilities for handling water-polluting substances (AwSV)](https://www.gesetze-im-internet.de/awsv/41.html) [§ 42 Ordinance on facilities for handling water-polluting substances (AwSV)](https://www.gesetze-im-internet.de/awsv/42.html) [Appendix 1, Section 3.20, Environmental Fee Schedule (UmwGebO)](https://www.landesrecht-hamburg.de/bs ha/document/jlr-UmwGebOHArahmen)
Teaser	If you want to build, operate or significantly change a facility for storing, filling or handling water-polluting substances, you must first submit an application to the responsible authority to determine the suitability of the facility.
Volltext	You may only build, operate and significantly modify a facility for storing, filling or handling substances that





Modul	Sachverhalt
	are hazardous to water if the suitability of the facility has been determined in advance by the responsible authority.
	The suitability assessment serves as a preventive control of the technical design of the system. The suitability assessment is an instrument of official prior control, a "proof of usability" and not a system approval. The test standard is compliance with the principle of concern or the best possible protection as well as the technical rules.
	In order to initiate the process to determine suitability, you must submit a written application to the responsible authority.
Erforderliche Unterlagen	You must include evidence of the suitability of the facility with your application for a suitability assessment. At the request of the responsible authority, you must have an expert report prepared and presented on the suitability of the system. The documents required in each case depend on the individual case and are determined by the responsible authority.
Voraussetzungen	Facilities for dealing with water-polluting substances must be designed and constructed, maintained, operated and decommissioned in such a way that a negative change in the properties of water is not to be expected
Kosten	Gebühr: 150€ - 6.000€ Depending on the time required, the scope of the application is 150 – 6,000 € EUR
Verfahrensablauf	 It is recommended that you make preliminary arrangements with the responsible authority before submitting your application. You submit a written, informal application for a determination to the responsible authority With the application you submit evidence that proves the suitability of the system. The responsible authority will check your application for completeness. If necessary, the responsible authority will contact you again and request further documents.





Modul	Sachverhalt
	• The result of the aptitude assessment procedure will be communicated to you in a written notification.
Bearbeitungsdauer	The processing time depends on the scope of the application. However, you must expect a processing time of up to several months.
Frist	No. However, you must have the suitability assessment before you start your project. You should therefore submit the application well in advance of the intended start of your project.
weiterführende Informationen	https://www.hamburg.de/wasser https://www.hamburg.de/wasser https://www.hamburg.de/abwasser/291930/ansprechp artner/ https://www.hamburg.de/abwasser/291930/ansprechp artner/
Hinweise	The determination of suitability is only necessary for storage, filling or handling (LAU) facilities, but not for production, treatment and use (HBV) facilities and pipelines. Further exceptions are regulated by Section 63, Paragraphs 2 and 3 of the Water Resources Act (WHG) and Section 41 of the AwSV.
Rechtsbehelf	contradiction
Kurztext	 Determination of the suitability of systems for handling water-polluting substances Facilities for storing, filling or handling (LAU facilities) water-polluting substances may only be constructed, operated or significantly modified if their suitability has been determined by the responsible authority. The operator of the system must submit an application to the responsible authority to determine suitability.
Ansprechpunkt	
Zuständige Stelle	Authority for the Environment, Climate, Energy and Agriculture
Formulare	
Ursprungsportal	Behördenfinder Hamburg, Authority finder Hamburg (Currently this link is only available in german)
	Behördenfinder Hamburg, Authority finder Hamburg